

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.7, AD-2.16, AD-2.17, AD-2.19, AD-2.21, AD-2.24

## EIIM AD 2.1 AERODROME LOCATION INDICATOR AND NAME

EIIM - INISHMORE

## EIIM AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	530625N 0093911W Mid-point RWY14/32
2	Direction and distance from (city)	1NM SE of Kilonan on largest Island of the Aran Islands
3	Elevation/Reference temperature	24 ft/18.3°C (Max Temp) 1.8°C (MNM Temp)
4	Geoid undulation at AD ELEV PSN	191 ft
5	MAG VAR/Annual Change	4.5° W (2017) / 11' decreasing
6	AD Administration, address, telephone, telefax, telex, AFS	Post: GALWAY AVIATION SERVICES LTD CAISLEAN INVERIN CO. GALWAY  Phone:+353 91 593034 Email: info@aerarannislands.ie URL: <a href="http://www.aerarannislands.ie">http://www.aerarannislands.ie</a>
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	Nil

## EIIM AD 2.3 OPERATIONAL HOURS

1	AD Administration	0800-1600 MAR-SEP (UTC) 0900-1500 OCT-FEB (UTC)
2	Customs and immigration	Nil
3	Health and sanitation	0800-1600 MAR-SEP (UTC) 0900-1500 OCT-FEB (UTC)
4	AIS Briefing Office	See remarks
5	ATS Reporting Office (ARO)	See remarks
6	MET Briefing Office	See remarks
7	ATS	Nil
8	Fuelling	Nil
9	Handling	0800-1600 MAR-SEP (UTC) 0900-1500 OCT-FEB (UTC)
10	Security	0800-1600 MAR-SEP (UTC) 0900-1500 OCT-FEB (UTC)

11	De-icing	Nil
12	Remarks	<p>PPR Minimum 3 hours - Contact AD ADMIN via telephone or email.</p> <p>PIB AVBL from AIS, Shannon, <a href="#">See Section GEN 3.1.5</a>,</p> <p>ARO service is AVBL H24 from AIS Shannon <a href="#">See Section GEN 3.1.5</a></p> <p>Met briefing AVBL from Central Aviation Office, Shannon Airport, <a href="#">See Section GEN 3.5.4</a></p>

## EIIM AD 2.4 HANDLING SERVICES AND FACILITIES

Nil

## EIIM AD 2.5 PASSENGER FACILITIES

1	Hotels	AVBL on Island
2	Restaurants	AVBL on Island
3	Transportation	Transport AVBL on request
4	Medical facilities	Doctor located on Island
5	Bank and Post Office	Post Office located on Island
6	Tourist Office	AVBL on Island
7	Remarks	Nil

## EIIM AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 2
2	Rescue equipment	Appropriate to CAT 2
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

## EIIM AD 2.7 SEASONAL AVAILABILITY - CLEARING

Nil

## EIIM AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: Bituminous Strength:			
2	Taxiway width, surface and strength	Taxiway	Width	Surface	Strength
		A	18 M	Bituminous	
3	Altimeter checkpoint location and elevation	Location: Runway mid point Elevation:24ft			
4	VOR checkpoints	Nil			
5	INS checkpoints	Nil			

6	Remarks	Nil
---	---------	-----

### EIIM AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Nil
2	RWY and TWY markings and LGT	Runway Designators, Threshold, Transverse Stripe and centreline. Taxiway centreline and runway holding position. Runway edge, threshold and end lighting
3	Stop bars	Nil
4	Remarks	Lighting for emergency use only.

### EIIM AD 2.10AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		
RWY/Area affected	Obstacle type Elevation Markings/ LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	3
a	b	c	a	b	
32/APCH 14/TKOF	Nil		CONC Post and Wire Fence 9 M / 30 ft AMSL -	530623N 0093912W	
			CONC Post and Wire Fence 6 M /20 ft AMSL -	530628N 0093921W	
			CONC Post and Wire Fence 9 M /30 ft AMSL -	530622N 0093910W	
			CONC Post and Wire Fence 6 M /20 ft AMSL -	530629N 0093923W	

### EIIM AD 2.11METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	<a href="#">See Section GEN 3.5</a> for information
2	Hours of service	H24
3	Office responsible for TAF preparation Periods of validity Interval of issuance.	Nil
4	Type of landing forecast Interval of issuance.	Nil
5	Briefing/consultation provided	Personal briefing by telephone from Central Aviation Office, Shannon
6	Flight documentation Language(s) used	Nil
7	Charts and other information available for briefing or consultation	<a href="#">See Section GEN 3.5</a> for information
8	Supplementary equipment available for providing information	NIL

9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

### EIIM AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
32	311.10°	490 M X 18 M	Bituminous	530618.97N 0093900.82W 530630.10N 0093922.03W 191ft	6 M / 20 ft
14	131.09°	490 M X 18 M	Bituminous	530630.10N 0093922.03W 530618.97N 0093900.82W 191ft	4 M / 13 ft

Slope of RWY- SWY	SWY dimensions	CWY dimensions	Strip dimensions	OFZ	Remarks
7	8	9	10	11	12
0.33%	Nil	Nil	550 M X 60 M	Nil	Nil
Nil	Nil	Nil	Nil	Nil	Nil

### EIIM AD 2.13 DECLARED DISTANCES

RWY Designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
32	490 M	490 M	490 M	490 M	Nil
14	490 M	490 M	490 M	490 M	Nil

**EIIM AD 2.14 APPROACH AND RUNWAY LIGHTING**

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing colour INTST	RWY End LGT colour WBAR	SWY LGT LEN(M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
32	Nil	Green Med Nil		Nil	Nil	490 M 60 M White Med	Red Med N/A	Nil	Emergency use only
14	Nil	Green Med Nil		Nil	Nil	490 M 60 M White Med	Red Med N/A	Nil	Emergency use only

**EIIM AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	ABN/IBN location, characteristics and hours of operation	White flashing Strobe Beacon. Located on Terminal building operated as emergency lighting only.
2	LDI location and LGT Anemometer location and LGT	Red obstacle light on LDI Nil
3	TWY edge and centre line lighting	Nil
4	Secondary power supply/switch-over time	Nil
5	Remarks	Lighting for emergency use only. WDI LGTD 530621N 0093911W

**EIIM AD 2.16 HELICOPTER LANDING AREA**

Nil

**EIIM AD 2.17 ATS AIRSPACE**

Nil

**EIIM AD 2.18 ATS COMMUNICATION FACILITIES**

Service Designation	Callsign	Frequency	Hours of Operation	Remarks
1	2	3	4	5
Aerodrome Information	INISHMORE Airport	123.000 MHz	0800-1600 UTC March-September 0900-1500 UTC October-February	N/A

**EIIM AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

Nil

## **EIIM AD 2.20 LOCAL TRAFFIC REGULATIONS**

Pilots may only land and take off during opening hours and when two-way radio contact has been established with the aerodrome.

Be aware of the intense commercial operations serving the island.

## **EIIM AD 2.21 NOISE ABATEMENT PROCEDURES**

Nil

## **EIIM AD 2.22 FLIGHT PROCEDURES**

Standard joining procedures

## **EIIM AD 2.23 ADDITIONAL INFORMATION**

3HR Prior Permission Required. Contact AD administration via telephone or email. Refer to [EIIM AD 2.2](#)

Caution: Possibility of sharp low level turbulence in strong SW wind.

## **EIIM AD 2.24 CHARTS RELATED TO AN AERODROME**

Nil