Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.7, AD-2.16, AD-2.17, AD-2.19, AD-2.21, AD-2.24

EIMN AD 2.1 AERODROME LOCATION INDICATOR AND NAME

EIMN - INISHMAAN

EIMN AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	**ARP coordinates and site at AD**	530535N 0093405W Midpoint RWY 15/33
2	**Direction and distance from (city)**	Nil
3	**Elevation/Reference temperature**	13ft/18.3°C (Max Temp) 1.6°C (MNM Temp)
4	**Geoid undulation at AD ELEV PSN**	190ft
5	**MAG VAR/Annual Change**	5°W (2014)/11' decreasing
6	**AD Administration, address, telephone, telefax, telex, AFS**	Post: GALWAY AVIATION SERVICES LTD CAISLEAN INVERIN CO. GALWAY Phone:+353 91 593034 Fax: +353 91 593238 Email: info@aerarannislands.ie URL: http://www.aerarannislands.ie
7	**Types of traffic permitted (IFR/VFR)**	VFR
8	**Remarks**	Nil

EIMN AD 2.3 OPERATIONAL HOURS

1	**AD Administration**	0900-1700 MAR-SEP (Local Time) 0900-1500 OCT-FEB (Local Time)
2	**Customs and immigration**	Nil
3	**Health and sanitation**	0900-1700 MAR-SEP (Local Time) 0900-1500 OCT-FEB (Local Time)
4	**AIS Briefing Office**	See Remarks
5	**ATS Reporting Office (ARO)**	See Remarks
6	**MET Briefing Office**	See Remarks
7	**ATS**	Nil
8	**Fuelling**	Nil
9	**Handling**	0900-1700 MAR-SEP (Local Time)
		0900-1500 OCT-FEB (Local Time)

10	**Security**	0900-1700 MAR-SEP (Local Time) 0900-1500 OCT-FEB (Local Time)
11	**De-icing**	Nil
12	**Remarks**	PPR Minimum 3 hours - Contact Ad administration via telephone or email. PIB AVBL from AIS, Shannon, See Section GEN 3.1.5, ARO service is AVBL H24 from AIS Shannon See Section GEN 3.1.5 Met briefing AVBL from Central Aviation Office, Shannon Airport, See Section GEN 3.5.4

EIMN AD 2.4 HANDLING SERVICES AND FACILITIES

Nil

EIMN AD 2.5 PASSENGER FACILITIES

1	**Hotels**	AVBL on Island
2	**Restaurants**	AVBL on Island
3	**Transportation**	Transport AVBL on request
4	**Medical facilities**	Nurse located on Island
5	**Bank and Post Office**	Post Office located on Island
6	**Tourist Office**	Nil
7	**Remarks**	Nil

EIMN AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	**AD category for fire fighting**	CAT 2
2	**Rescue equipment**	Appropriate to CAT 2
3	**Capability for removal of disabled aircraft**	By arrangement
4	**Remarks**	Nil

EIMN AD 2.7 SEASONAL AVAILABILITY - CLEARING

Nil

EIMN AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	**Apron surface and strength**	Surface: Bituminous Strength:			
2	**Taxiway width, surface and strength**	Taxiway	Width	Surface	Strength
		A	8M	Bituminous	-
3	**Altimeter checkpoint location and elevation**	Location: Runway mid point Elevation:13ft			

4	**VOR checkpoints**	Nil
5	**INS checkpoints**	Nil
6	**Remarks**	Nil

EIMN AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	**Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands**	TWY guideline
2	**RWY and TWY markings and LGT**	Runway threshold, designator and centreline and taxiway holding points. Runway edge, threshold and end lighting
3	**Stop bars**	Nil
4	**Remarks**	Lighting for use in emergency only

EIMN AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			**In circling area and at AD**		**Remarks**
1			**2**		**3**
RWY/Area affected	**Obstacle type Elevation Markings/LGT**	**Coordinates**	**Obstacle type Elevation Markings/LGT**	**Coordinates**	
a	**b**	**c**	**a**	**b**	
15/TKOF 33/APCH	Sand dune (A) 22.4 ft AMSL Nil	530526 N 0093352W	Fence (E) 17.3 ft AMSL Nil	530528N 0093353W*	*data accuracy has not been quality assured.
	Sand dune (B) 26.7 ft AMSL Nil	530528 N 0093352W	Fence (F) 15.0 ft AMSL Nil	530529N 0093354W*	*data accuracy has not been quality assured.
	Timber fence (C) 19.3 ft AMSL Nil	530527 N 0093353W	Sand dune (G) 28.1 ft AMSL Nil	530529N 0093352W	
	Timber fence (D) 17.3 ft AMSL Nil	530528 N 0093353W	Fence (E) 17.3 ft AMSL Nil	530528N 0093353W*	*data accuracy has not been quality assured.
33/TKOF 15/APCH	Fence (E) 17.3ft AMSL Nil	530528 N 0093353W*	Fence (F) 15.0 ft AMSL Nil	530529N 0093354W*	*data accuracy has not been quality assured.
			Sand dune (G) 28.1 ft AMSL Nil	530529N 0093352W	

EIMN AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	**Associated MET Office**	See Section GEN 3.5 for information
2	**Hours of service**	H24
3	**Office responsible for TAF preparation** **Periods of validity** **Interval of issuance.**	Nil

4	**Type of landing forecast Interval of issuance.**	Nil
5	**Briefing/consultation provided**	Personal
6	**Flight documentation Language(s) used**	Nil
7	**Charts and other information available for briefing or consultation**	See Section GEN 3.5 for information
8	**Supplementary equipment available for providing information**	NIL
9	**ATS units provided with information**	NIL
10	**Additional information (limitation of service, etc.)**	NIL

EIMN AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	**2**	**3**	**4**	**5**	**6**
15	137.84°	534 M X 18 M	Bituminous	530541.44N 0093415.09W 530528.42N 0093355.51W 190ft	19ft AMSL
33	317.85°	534 M X 18 M	Bituminous	530528.42N 0093355.51W 530541.44N 0093415.09W 190ft	12ft AMSL

Slope of RWY-SWY	SWY dimensions	CWY dimensions	Strip dimensions	OFZ	Remarks
7	**8**	**9**	**10**	**11**	**12**
0%	Nil	Nil	594M X 60M	Nil	Nil
0%	Nil	Nil	660M X 60M	Nil	Nil

EIMN AD 2.13 DECLARED DISTANCES

RWY Designator	TORA	TODA	ASDA	LDA	Remarks
1	**2**	**3**	**4**	**5**	**6**
15	534	534	534	534	Nil
33	534	534	534	534	Nil

EIMN AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour, INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
15	Nil	Green Med Nil	-	Nil	Nil	606 60 White Med	Red Med Nil	Nil	lighting for emergency use only
33	Nil	Green Med Nil	-	Nil	Nil	606 60 White Med	Red Med Nil	Nil	lighting for emergency use only

EIMN AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	**ABN/IBN location, characteristics and hours of operation**	Nil
2	**LDI location and LGT Anemometer location and LGT**	Nil
3	**TWY edge and centre line lighting**	Nil
4	**Secondary power supply/switch-over time**	Available
5	**Remarks**	Lighting for emergency use only. WDI 530541N 0093409W

EIMN AD 2.16 HELICOPTER LANDING AREA

Nil

EIMN AD 2.17 ATS AIRSPACE

Nil

EIMN AD 2.18 ATS COMMUNICATION FACILITIES

Service Designation	Callsign	Frequency	Hours of Operation	Remarks
1	2	3	4	5
Aerodrome Information	INISHMAAN Airport	123.000MHz	0900-1700 MAR-SEP (Local Time) 0900-1500 OCT-FEB (Local Time)	-

EIMN AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Nil

EIMN AD 2.20 LOCAL TRAFFIC REGULATIONS

Pilots may only land and take off during opening hours and when two-way radio contact has been established with the aerodrome.

Beware of the intense commercial operations serving the island.

EIMN AD 2.21 NOISE ABATEMENT PROCEDURES

Nil

EIMN AD 2.22 FLIGHT PROCEDURES

Standard joining procedures

EIMN AD 2.23 ADDITIONAL INFORMATION

3HR Prior Permission Required. Contact AD administration via telephone or email. Refer to EIMN AD 2.2

Possible downdraft and turbulence with Westerly winds.

Sand dunes are an Obstacle at the south eastern end of the RWY.

EIMN AD 2.24 CHARTS RELATED TO AN AERODROME

Nil